POWERSCORE

ACT Math Flash Cards

Formulas, definitions, and concepts for success on the ACT Mathematics Test



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM
© COPYRIGHT 2012

How to Study Math Flash Cards

Review each card, and remove any formulas that you already know. Study only the cards with formulas that you have not yet memorized. To increase your retention of the formulas, try these study methods:

1. Write out the formulas and their components.

Transferring the formulas to paper helps transfer the information into your long-term memory.

2. Group formulas by content area.

By placing the cards in groups, such as "Circles" or "Transformations," you can begin to see connections between formulas that may help with memorization.

(Continued on back of card)




FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

Order of Operations

A fundamental principle of all math is the order of operations. This rule sets precedence for which operations are preformed first when solving or simplifying expressions and equations. The six operations are addition, subtraction, multiplication, division, exponentiation, and grouping, and their order of precedence is often remembered using the acronym PEMDAS.

Each of the letters in PEMDAS represents an operation and its order of priority:



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

PowerScore SAT Preparation

Are you taking both the ACT and the SAT? If so, learn the nuances, concept patterns, solution strategies of both tests using PowerScore's publications and courses. You can find our complete line of products on our website.





FOR MORE INFORMATION, VISIT POWERSCORE.COM (800)545-1750 www.powerscore.com

POWERSCOREFull Length ACT Course

The most comprehensive live ACT course for the most important test of your academic career!

The **Full-Length Course** offers:

- \$\phi\$ 40 hours of class time
- 4 full-length practice tests
- ◆ 5 point score increase guarantee
- 95th percentile instructors
- Over 1500 pages of course material
- \$\phi\$ 15 hours of ACT Hotline assistance each week
- Online Student Center Access
- 2 take-home tests
- Extensive homework and optional problems sets with full explanations for every problem
- Customizable courses for schools and groups
- * \$1000 Perfect Score Scholarship

FOR MORE INFORMATION, VISIT POWERSCORE.COM (800)545-1750 www.powerscore.com

PowerScoreLive Online ACT Course

Comprehensive live instruction from the comfort of your home.

The **Live Online Course** offers:

- \$\phi\$ Live, interactive instruction via the internet
- \$\phi\$ 18 hours of class time
- \$\phi\$ 6 full-length take-home tests with detailed score reports
- 4 point score increase guarantee
- 95th percentile instructors
- Over 1400 pages of course material
- Online Student Center Access
- Extensive homework and optional problems sets with full explanations for every problem
- Customizable courses for schools and groups
- \$\phi\$\$1000 Perfect Score Scholarship



FOR MORE INFORMATION, VISIT POWERSCORE.COM (800)545-1750 www.powerscore.com

How to Study Math Flash Cards

3. Write sample questions that require each formula.

You can find existing questions from *The Real ACT Prep Guide* grouped by content in the Red Book Database on the book owner's website. Use these questions to write your own example questions, along with detailed solutions to your questions. The most effective strategy for learning information is to teach the information to someone else.

4. Have someone quiz you.

Enlist a family member or friend to quiz you on each flash card. If you correctly identify or explain a formula, place a check mark in the target on the flash card. Once a formula is completely memorized, remove it from your stack of flash cards.

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

POWERSCOREACT Math Bible Flash Cards

Copyright © 2012 by PowerScore Incorporated. All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or in any means electronic, mechanical, photocopying, recording, scanning, or otherwise, without the prior written permission of the Publisher.

PowerScore® is a registered trademark.

Published by

PowerScore Publishing, a division of PowerScore Incorporated 57 Hasell Street

Charleston, SC 29401



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

PowerScoreSupplemental ACT Prep

ACT Private Tutoring

Private tutoring gives you the opportunity to work face-toface with one of our highly qualified instructors, who can quickly pinpoint your strengths and weaknesses and create a individualized curriculum to address your needs. Please call or visit our website to learn about our tutoring packages and availability.

Home Study Course

For some students, independent study and practice is the best test prep solution. We offer a home study course which includes the Full-Length ACT course books, access to the Online Student Area, and a copy of *The Real ACT Prep Guide*. To learn more about this package, please call our office or visit our website.

FOR MORE INFORMATION, VISIT POWERSCORE.COM (800)545-1750 www.powerscore.com

Order of Operations

PEMDAS

Let's look at an example of an expression in which of the order of operations is required:

$$5(1+4)^2-10$$

Begin with operation in the parentheses (P):

$$5(1+4)^2 - 10 = 5(5)^2 - 10$$

Now remove the exponents (E):

$$5(5)^2 - 10 = 5(25) - 10$$

Multiplication and division are next (M/D):

$$5(25) - 10 = 125 - 10$$

Finally, addition and subtraction are performed (A/S):

$$125 - 10 = 115$$

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com




PowerScoreFree Help Area

Have questions about the ACT or admissions? Need some free study material? Check out PowerScore's Free Help Area at www.powerscore.com/act/help. You'll find dozens of articles and printable study aids, including:

- Reading Comprehension practice
- Information for homeschooled students
- · Parent FAOs
- Timeline for admissions
- Vocabulary Ouizzes
- Math Practice Sets
- And much, much more!

You can also contact a PowerScore representative at (800)545-1750 or act@powerscore.com. We are happy to assist you with your ACT preparation!



PowerScoreWeekend ACT Course

The original Weekend Course delivers intense instruction in a single weekend, to better fit your busy schedule.

The Weekend Course offers:

- ◆ 12 hours of class time
- ♦ 5 full-length take-home tests
- 3 point score increase guarantee
- 95th percentile instructors
- Over 1200 pages of course material
- Email Assistance Program after the course
- Online Student Center Access
- Extensive homework and optional problems sets with full explanations for every problem
- Customizable courses for schools and groups
- ♦ \$1000 Perfect Score Scholarship
- Incredibly low price

FOR MORE INFORMATION, VISIT POWERSCORE.COM (800)545-1750 WWW.POWERSCORE.COM



integer

Any number in the set of positive and negative whole numbers and zero:

$$\{\ldots -4, -3, -2, -1, 0, 1, 2, 3, 4\ldots\}$$

- Integers do not include fractions or decimals
- Integers are the most commonly used numbers on the ACT
- It is important to remember that 0 is an integer.



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

set

A collection of numbers marked by brackets:

$${4, 6, 9, 13}$$

- Sets can contain any amount of numbers
- Sets may have rules, such as "all even integers"



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

digit

The numbers 0 through 9:

$$\{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$$

- Place is used to represent where in a number a digit
- The ones digit or units digit in 3748 is 8
- The tens digit in 3748 is 4
- The hundreds digit in 3748 is 7



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

sum

The amount obtained by adding numbers

- The sum of 2, 3, and 4 is 9: (2 + 3 + 4 = 9)
- The sum of x and y is x + y



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

product

The amount obtained by multiplying numbers

- The product of 2, 3, and 4 is 24: $(2 \times 3 \times 4 = 24)$
- The product of x and y is xy

multiple

An integer that is divisible by another integer without a remainder

- Multiples of 3 include $\{-6, -3, 3, 6, 9, 12\}$
- Multiples of 4 include {-8, -4, 4, 8, 12, 16}



FOR MORE FLASH CARDS, VISIT POWERSCORE, COM © COPYRIGHT 2012

DEFINITION

DEFINITION

set

integer



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com



DEFINITION

DEFINITION

sum

digit



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com



DEFINITION

DEFINITION

multiple

product



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM



divisible

Describes a number capable of being divided without a remainder. A number that is divisible by x is also said to be a multiple of x.

- 18 is divisible by 1, 2, 3, 6, 9, and 18
- xy is divisible by 1, x, y, and xy



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

factor

One of two or more numbers that divides into a larger number without a remainder

- Factors of 18 are 1 and 18, 2 and 9, and 3 and 6
- Factors of xy include 1 and xy, plus x and y



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

10 prime numbers

{2, 3, 5, 7, 11, 13, 17, 19, 23, 29, ...}

Additional prime numbers under 100:

{31, 37, 41, 43, 47, 53, 59, 61, 67, 71, 73, 79, 83, 89, 97}



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

prime number

An integer that does not have any factors besides itself and 1

{2, 3, 5, 7, 11, 13, 17, 19, 23, 29, ...}

- One (1) is not a prime number
- When prime numbers are multiplied together, the product's factors are limited to itself, one, and the prime numbers themselves

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

prime factor

Prime numbers that divide into a larger number without a remainder

• Factors of 18 are 1 and 18, 2 and 9, and 3 and 6; the prime factors are 2 and 3

common factor

A factor shared by two numbers

- Factors of 18 are 1 and 18, 2 and 9, and 3 and 6.
- Factors of 15 are 1 and 15 and 3 and 5.
- The common factors of 15 and 18 are 1 and 3.



FOR MORE FLASH CARDS, VISIT POWERSCORE.COI

DEFINITION

DEFINITION

factor

divisible



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM



DEFINITION

ARITHMETIC

prime number

What are the first 10 prime numbers?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

DEFINITION

DEFINITION

common factor

prime factor



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM



Rules of Divisibility

- 2: If the last digit of a number is even, it is a multiple of 2.
- 3: If the sum of the digits is divisible by 3, the entire integer is a multiple of 3.
- 4: If the last two digits are a multiple of 4, the entire number is a multiple of 4.
- 5: If the last digit ends in 0 or 5, the entire number is divisible by 5.
- 6: If the number is both divisible by 2 and 3, it is divisible by 6.
- 9: If the sum of the digits is divisible by 9, the entire integer is a multiple of 9

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

Addition of Integers

even + even = even

odd + odd = even

odd + even = odd

positive + positive = positive

negative + negative = negative

positive + negative = can be either



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM
© COPYRIGHT 2012

Fraction Equivalent

0.125



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM

© COPYRIGHT 2012

Multiplication of Integers

 $even \times even = even$


 $odd \times odd = odd$

 $odd \times even = even$

positive \times positive = positive

 $negative \times negative = positive$

positive \times negative = negative



Fraction Equivalent

 $0.16\overline{6}$



0.2



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM

ARITHMETIC

Addition of Integers

even + even =

odd + odd =

odd + even =

positive + positive =

negative + negative =

positive + negative =

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com



SHORTCUT

Rules of Divisibility



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

ARITHMETIC

Multiplication of Integers

even + even =

odd + odd =

odd + even =

positive + positive =

negative + negative =

positive + negative =



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

DECIMAL EQUIVALENT

 $\frac{1}{8}$

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com



DECIMAL EQUIVALENT

 $\frac{1}{5}$



DECIMAL EQUIVALENT

1 6

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

Fraction Equivalent

0.25

Fraction Equivalent

 $0.3\overline{3}$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012



Fraction Equivalent

0.5

Fraction Equivalent

0.4



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

Fraction Equivalent

 $0.6\overline{6}$

Fraction Equivalent

0.75



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

DECIMAL EQUIVALENT

 $\frac{1}{3}$

1



1

4



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com



DECIMAL EQUIVALENT

 $\frac{2}{5}$



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

DECIMAL EQUIVALENT

 $\frac{1}{2}$



DECIMAL EQUIVALENT

 $\frac{3}{4}$



DECIMAL EQUIVALENT

 $\frac{2}{3}$

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

rate formula

$$r = \frac{d}{t}$$

r = rate d = distance t = time



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

what percent?

$$\frac{x}{100}$$
 or $\frac{?}{100}$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

average rate of speed

$\frac{2 \times \text{rate}_1 \times \text{rate}_2}{\text{rate}_1 + \text{rate}_2}$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

combined work

$$\frac{1}{t_1} + \frac{1}{t_2} + \frac{1}{t_3} = \frac{1}{t_T}$$

 t_1 = time of first person t_2 = time of second person t_3 = time of third person t_T = time together



plus, more than, added to, increased by, sum





x, n, ?, or

what? what number?

other variable

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

TRANSLATE

How do you represent the phrase "what percent"?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

WORK AND RATES

What is the rate formula?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

WORK AND RATES

What is the formula for combined work problems?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

WORK AND RATES

What is the formula for average rate of speed?



<u>TRANSLATE</u>

How do you represent "what" or "what number?"



<u>TRANSLATE</u>

How do you represent
"plus," "more than,"
"added to," "increased by,"
and "sum?"



minus, less than, subtracted from, of, times, product decreased by, reduced by, difference (multiplication sign) (minus sign) FOR MORE FLASH CARDS, VISIT POWERSCORE.COM FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012 © COPYRIGHT 2012 is, equals, result per, out of, quotient (equals sign) (division sign) FOR MORE FLASH CARDS, VISIT POWERSCORE.COM FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012 © COPYRIGHT 2012 90° angle 60° angle FOR MORE FLASH CARDS, VISIT POWERSCORE, COM FOR MORE FLASH CARDS, VISIT POWERSCORE, COM © COPYRIGHT 2012 © COPYRIGHT 2012

TRANSLATE

How do you represent "of," "times," or "product?"



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

TRANSLATE

How do you represent
"minus," "less than,"
"subtracted from,"
"decreased by," "reduced
by," and "difference?"

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

<u>TRANSLATE</u>

How do you represent "is," "equals," or "result?"



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

TRANSLATE

How do you represent "per," "out of," or "quotient?"



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

BENCHMARKS

Illustrate a 60° angle.


BENCHMARKS

Illustrate a 90° angle.



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

45° angle










FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

divide by same base

multiply by same base

$$\chi^n \div \chi^m = \chi^{n-m}$$






FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

multiply by same power

divide by same power

$$(x^n)(y^n) = (xy)^n$$





FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

BENCHMARKS

Illustrate a 30° angle.

BENCHMARKS

Illustrate a 45° angle.



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM



EXPONENTS AND ROOTS

WWW.POWERSCORE.COM

(800)545-1750

Multiplication of the same base:

$$(x^n)(x^m)$$

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

EXPONENTS AND ROOTS

Division of the same base:

$$x^n \div x^m$$

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM



EXPONENTS AND ROOTS

Division with the same power:

$$x^n \div y^n$$



EXPONENTS AND ROOTS

Multiplication with the same power:


$$(x^n)(y^n)$$



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

base-negative

base⁰





$$3^0 = 1$$
 and $x^0 = 1$

.com

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

single base with powers

$$(x^n)^m = x^{n \times m}$$

fractional exponents

$$x^{\frac{n}{m}} = \sqrt[m]{x^n}$$

$$x^{\frac{\text{power}}{\text{root}}} = \sqrt[\text{root}]{x^{\text{power}}}$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

classic form #2

$$(x + y)^2 = x^2 + 2xy + y^2$$

Examples:

$$(t+5)^{2} \rightarrow t^{2} + 2(t)(5) + 5^{2} \rightarrow t^{2} + 10t + 25$$

$$(3a+b)(3a+b) \rightarrow 9a^{2} + 6ab + b^{2}$$

$$y^{2} + 16y + 64 \rightarrow y^{2} + 2(y)(8) + 8^{2} \rightarrow (y+8)^{2}$$

$$36 + 12n + n^{2} \rightarrow 6^{2} + 2(n)(6) + n^{2} \rightarrow (6+n)^{2}$$

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

classic form #1

$$(x + y)(x - y) = x^2 - y^2$$

Examples:

$$(t-5)(t+5) \rightarrow t^2 - 5^2 \rightarrow t^2 - 25$$

$$(3a+b)(3a-b) \rightarrow (3a)^2 - b^2 \rightarrow 9a^2 - b^2$$

$$y^2 - 64 \rightarrow y^2 - 8^2 \rightarrow (y+8)(y-8)$$

$$36 - n^2 \rightarrow 36^2 - n^2 \rightarrow (6+n)(6-n)$$

EXPONENTS AND ROOTS

When a base is raised to the power of 0, what is the result?

For example, what is 3^0 or x^0 ?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

EXPONENTS AND ROOTS

$$\chi^{-n}$$



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

EXPONENTS AND ROOTS

Fractional exponents:

 $\mathcal{X}^{rac{n}{m}}$



PowerScore ACT Mathematics Flashcards (800)545-1750 www.powerscore.com

EXPONENTS AND ROOTS

Multiplication of a single base with multiple powers:

$$(\chi^n)^m$$



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

CLASSIC QUADRATIC FORM

$$(x + y)(x - y) =$$



CLASSIC QUADRATIC FORM

$$(x + y)^2 =$$



classic form #3

$$(x - y)^2 = x^2 - 2xy + y^2$$

Examples:

$$(t-5)^2 \rightarrow t^2 - 2(t)(5) + 5^2 \rightarrow t^2 - 10t + 25$$

$$(3a-b)(3a-b) \rightarrow 9a^2 - 6ab + b^2$$

$$y^2 - 16y + 64 \rightarrow y^2 - 2(y)(8) + 8^2 \rightarrow (y-8)^2$$

$$36 - 12n + n^2 \rightarrow 6^2 - 2(n)(6) + n^2 \rightarrow (6-n)^2$$

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

direct variation


$$y = cx$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

area of a circle

$$A = \pi r^2$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

indirect variation

$$c = xy$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

circumference of a circle


$$C=2\pi r$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

area of a rectangle

$$A = \ell w$$



сом

DIRECT VARIATION

What is the formula for direct variation?

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

CLASSIC QUADRATIC FORM

$$(x - y)^2 =$$



INDIRECT VARIATION

What is the formula for indirect variation?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

CIRCLES

What is the formula for the area of a circle?

PowerScore ACT Mathematics Flashcards (800)545-1750 www.powerscore.com

QUADRILATERALS

What is the formula for the area of a rectangle?




CIRCLES

What is the formula for the circumference of a circle?



area of a triangle


$$A = \frac{1}{2}bh$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

volume of a rectangular solid


$$V = \ell w h$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

volume of a cylinder


$$V = \pi r^2 h$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012


Pythagorean Theorem

$$a^2 + b^2 = c^2$$




FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

30°:60°:90° triangle



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

45°:45°:90° triangle





SOLIDS

What is the formula for the volume of a rectangular solid?

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

TRIANGLES

What is the formula for the area of a triangle?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

<u>TRIANGLES</u>

What is the Pythagorean Theorem?



SOLIDS

What is the formula for the volume of a right circular cylinder?



TRIANGLES

What are the assigned side ratios in a 45°:45°:90° triangle?



TRIANGLES

What are the assigned side ratios in a 30°:60°:90° triangle?




degrees of arc in a circle

360°




180°



$$x^{\circ} + 50^{\circ} + 35^{\circ} = 180^{\circ}$$

© COPYRIGHT 2012


$$x = 95^{\circ}$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM

© COPYRIGHT 2012


intersected parallel lines



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

perpendicular lines


right angle



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

bisect

bisect = to divide in two equal parts



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

perimeter of a triangle

 $perimeter = s_1 + s_2 + s_3$



TRIANGLES

What is the sum of of the measures in degrees of the angles of a triangle?

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

CIRCLES

How many degrees of arc are in a circle?



LINES AND ANGLES

What angle is created by the intersection of perpendicular lines?

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

LINES AND ANGLES

What relationship results when two or more parallel lines are intersected by a transversal?



BASIC TRIANGLES

What is the formula for finding the perimeter of a triangle?



LINES AND ANGLES

What is the definition of "bisect?"

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

sum of the lengths of 2 sides

The sum of the lengths of any two sides of a triangle is always greater than the length of the remaining side.

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM
© COPYRIGHT 2012

sum of the angles in a triangle

180°



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM
© COPYRIGHT 2012

Pythagorean Triples

3:4:5

5:12:13

7:24:25

8:15:17

9:40:41


12:35:37


20:21:29

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

similar triangles

Triangles that have the exact same shape but different area. The corresponding angle measurements of similar triangles are equal, and the corresponding side lengths are proportionate:







FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

hidden triangles

Two 30°:60°:90° triangles are hidden in every equilateral triangle:







FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

hidden triangles

Two 45°:45°:90° triangles are hidden in every square:





BASIC TRIANGLES

What is the sum of of the measures in degrees of the angles of a triangle?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

BASIC TRIANGLES

The sum of the lengths of any two sides of a triangle is always greater than



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

BASIC TRIANGLES

What are similar triangles?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

SPECIAL TRIANGLES

Name the most common Pythagorean Triples.



SPECIAL TRIANGLES

What is hidden in a square?




SPECIAL TRIANGLES


What is hidden in an equilateral triangle?



isosceles triangles

An isosceles triangle has two sides of equal length and two angles of equal size. The two equal angles are opposite the two equal-length sides:






FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

equilateral triangles


Equilateral triangles have equal side lengths and equal angle measurements. Since the interior angles of a triangle add up to 180°, the three angles of an equilateral triangle must each equal 60°:



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

perimeter of a rectangle


$$P = 2\ell + 2w$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

area of a square


$$A = \ell w \text{ or } s^2$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

area of a parallelogram


$$A = \ell h$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

perimeter of a square

$$P=4s$$





SPECIAL TRIANGLES

equilateral triangle?



(800)545-1750

What is an

BASIC TRIANGLES

What is an isosceles triangle?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

QUADRILATERALS

What is the formula for the area of a square?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

QUADRILATERALS

What is the formula for the perimeter of a rectangle?



QUADRILATERALS

What is the formula for the perimeter of a square?



QUADRILATERALS


What is the formula for the area of a parallelogram?





POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

regular polygons

Polygons that have equal side lengths and equal angle measurements are called regular polygons.








Regular Hexagon

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

interior angles of a quadrilateral

360°






FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

interior angles of a hexagon

720°




$$120^{\circ} + 120^{\circ} + 120^{\circ} + 120^{\circ} + 120^{\circ} + 120^{\circ} = 720^{\circ}$$

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

interior angles of a pentagon

540°




$$108^{\circ} + 108^{\circ} + 108^{\circ} + 108^{\circ} + 108^{\circ} = 540^{\circ}$$

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

interior angles of a octagon


1080°



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

circumference of a circle

 $C=2\pi r$



POLYGONS

What is the sum of the interior angles of a quadrilateral?

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POLYGONS

What is a regular polygon?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POLYGONS

What is the sum of the interior angles of a pentagon? What is the measure of each angle in a regular pentagon?

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POLYGONS

What is the sum of the interior angles of a hexagon? What is the measure of each angle in a regular hexagon?

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

<u>CIRCLES</u>

What is the formula for the circumference of a circle?



POLYGONS

What is the sum of the interior angles of a octagon? What is the measure of each angle in a regular octagon?

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

tangent


A tangent is a line that touches a circle at only one point. A radius or diameter drawn to that point is perpendicular to the tangent.



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

area of a circle

$$A = \pi r^2$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

length of an arc

The length of an arc = $\frac{x^{\circ}}{360^{\circ}}(2\pi r)$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012


area of a sector

The area of a sector = $\frac{x^{\circ}}{360^{\circ}} (\pi r^2)$



volume of a cube


$$V = s^3$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

surface area of a cube

$$SA = 6s^2$$





CIRCLES

What is the formula for the area of a circle?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

CIRCLES

What is a tangent?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

CIRCLES

What is the formula for finding the area of a sector?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

CIRCLES

What is the formula for finding the length of an arc?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

GEOMETRIC SOLIDS

What is the formula for the surface area of a cube?

GEOMETRIC SOLIDS


What is the formula for the volume of a cube?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

volume of a rectangular solid


$$V = \ell w h$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

surface area of a rectangular solid


$$SA = 2\ell w + 2\ell h + 2wh$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

volume of a cylinder

$$V = \pi r^2 h$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

length of a diagonal in a rectangular solid

Length of the diagonal =

$$\sqrt{l^2 + w^2 + h^2}$$

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

distance formula

Distance =
$$\sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

midpoint formula

Midpoint =
$$\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right)$$





GEOMETRIC SOLIDS

What is the formula for the surface area of a rectangular solid?

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

GEOMETRIC SOLIDS

What is the formula for the volume of a rectangular solid?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

GEOMETRIC SOLIDS

What is the formula for the length of a diagonal in a rectangular solid?

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com



GEOMETRIC SOLIDS

What is the formula for the volume of a right circular cylinder?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

COORDINATE GEOMETRY

What is the Midpoint Formula?




COORDINATE GEOMETRY

What is the Distance Formula?



slope formula

Slope =
$$\frac{y_2 - y_1}{x_2 - x_1}$$



up


Positive Slope

..сом

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM
© COPYRIGHT 2012

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

parallel lines have equal slopes




Slope of line $\ell = \frac{2}{3}$

Slope of line $m = \frac{2}{3}$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

down




Negative Slope



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

perpendicular lines have slopes that are negative reciprocals



Slope of line $\ell = \frac{2}{3}$

Slope of line $m = \frac{2}{3}$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

equation of a line

Equation of a line: y = mx + b

Where:

m = slope

b = y-intercept

x and y = the x- and y-coordinate

(x, y) of any point on the line

COORDINATE GEOMETRY

Lines with a positive slope tilt _____ when moving from left to right.

5

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COORDINATE GEOMETRY

What is the Slope Formula?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COORDINATE GEOMETRY

Lines with a negative slope tilt _____ when moving from left to right.



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COORDINATE GEOMETRY

How are the slopes of parallel lines related?



COORDINATE GEOMETRY

What is the equation of a line?



COORDINATE GEOMETRY

How are the slopes of perpendicular lines related?



standard equation of a parabola

Standard equation of a parabola: $y = ax^2 + bx + c$

- a, b, and c are constants
- x and y = the x- and y-coordinate (x, y) of any point on the parabola
- (0, c) is the y-intercept
- When a is positive, the parabola opens upward
- When a is negative, the parabola opens downward
- When b = 0, the parabola is centered on the y-axis
- When b > 0, the parabola moves to the left of the y-axis
- When *b* < 0, the parabola moves to the right of the *y*-axis

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

vertex equation of a parabola

Vertex equation of a parabola: $y = a(x - h)^2 + k$

- (h, k) is the vertex of the parabola
- *x* and *y* = the *x* and *y*-coordinate (*x*, *y*) of any point on the parabola
- When a is positive, the parabola opens upward
- When a is negative, the parabola opens downward



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

equation of a linear function

Equation of a line: y = mx + b

Equation of a linear function: f(x) = mx + b

Where:

m = slope b = y-interceptx and f(x) = the x- and y-coordinate

(x, y) of any point on the line

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

standard equation of a quadratic function


Standard equation of a parabola:

$$y = ax^2 + bx + c$$


Standard equation of a quadratic function:

$$f(x) = ax^2 + bx + c$$

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012



Shifts up 1 unit



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

vertex equation of a quadratic function

Vertex equation of a parabola:

$$y = a(x - h)^2 + k$$

Vertex equation of a quadratic function:

$$f(x) = a(x - h)^2 + k$$

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM



COORDINATE GEOMETRY

Lines with a positive slope tilt _____ when moving from left to right.

-

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COORDINATE GEOMETRY

What is the standard equation of a parabola?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COORDINATE GEOMETRY

What is the standard equation of a quadratic function?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COORDINATE GEOMETRY

What is the equation of a linear function?



COORDINATE GEOMETRY

What is the vertex equation of a quadratic function?



COORDINATE GEOMETRY


Translation:

$$y = f(x) + 1$$




$$y = f(x) - 1$$


Shifts down 1 unit



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012




Shifts left 1 unit



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012




The parabola becomes "skinnier"



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

$$y = f(x - 1)$$


Shifts right 1 unit



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

$$y = f(\frac{1}{2}x)$$


The parabola becomes "fatter"



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

$$y = 2f(x)$$

The parabola becomes "longer"



COORDINATE GEOMETRY

Translation:

$$y = f(x+1)$$



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COORDINATE GEOMETRY

Translation:

$$y = f(x) - 1$$



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COORDINATE GEOMETRY

Translation:

$$y = f(x - 1)$$



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COORDINATE GEOMETRY

Transformation:

$$y = f(2x)$$



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COORDINATE GEOMETRY

Transformation:

$$y = 2f(x)$$



Transformation:


COORDINATE GEOMETRY

$$y = f(\frac{1}{2}x)$$



$y = \frac{1}{2}f(x)$


The parabola becomes "shorter"




FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

reflection over the x-axis

$$y = f(x) y = -f(x)$$







FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

reflection over the y-axis









FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

average (arithmetic mean)

 $\frac{\text{sum of the numbers}}{\text{number of numbers}} = \text{average}$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

median

The median is the number that appears in the middle of a set of ascending numbers.

In the following set, the median is 5: {2, 4, 5, 7, 7}

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

mode

The mode is the number that appears most frequently in a set.

In the following set, the mode is 7:

 $\{2, 4, 5, 7, 7\}$

COORDINATE GEOMETRY

Reflection:

$$y = -f(x)$$



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COORDINATE GEOMETRY

Transformation:

$$y = \frac{1}{2} f(x)$$



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

STATISTICS

What is the formula for finding the average of a set of numbers?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

COORDINATE GEOMETRY

Reflection:

$$y = f(-x)$$



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

STATISTICS

What is the mode?

STATISTICS

What is the median?





probability formula

Probability =

number of favorable outcomes number of possible outcomes



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM
© COPYRIGHT 2012

probability of a non-occurrence

Probability of event not occurring =

 $1 - \frac{\text{number of favorable outcomes}}{\text{number of possible outcomes}}$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

geometric sequence

In a geometric sequence, each term increases by a constant ratio.

$$a_n = a_1 \times r^{n-1}$$

Where:

 a_1 = the first term

n = the number of terms

r = constant ratio



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

arithmetic sequence

In an arithmetic sequence, each term increases by a constant difference.

$$a_n = a_1 + (n-1)d$$

Where:

 a_1 = the first term

n = the number of terms

d =constant difference

CORE.COM

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

geometric sequence sum

Sum of the first *n* terms in a geometric sequence =

$$\frac{a_1(1-r^n)}{1-r}$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

arithmetic sequence sum

Sum of the first *n* terms in an arithmetic sequence =

$$n\frac{a_1 + a_n}{2}$$



PROBABILITY

What is the formula for the probability of something not happening?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

PROBABILITY

What is the formula for probability?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

SEQUENCES

What is an arithmetic sequence and how do you find the *n*th term?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

SEQUENCES

What is a geometric sequence and how do you find the *n*th term?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

SEQUENCES

How do you find the sum of the first *n* terms in an arithmetic sequence?



SEQUENCES

How do you find the sum of the first *n* terms in a geometric sequence?



geometric probability

Geometric Probability =

shaded area total possible area

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM
© COPYRIGHT 2012

overlapping groups

Group A

- + Group B
- + Neither Group
- <u>– Both Groups</u> Total



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

probability of two events

Find the probability of each independent event and then find their product.



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

combinations

Multiply the elements together:

2 shirts × 3 pants × 2 shoes = 12 outfit combinations



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

visualization


I will be successful because I am good at ACT math.



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

permutations

Determine the number of elements for each position and then multiply the elements together:



OVERLAPPING GROUPS

What is the formula for finding a population in an overlapping groups question?

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

PROBABILITY

What is the formula for geometric probability?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

COUNTING PROBLEMS

In a combination, how do you find the total number of arrangements?



PROBABILITY

How do you find the probability of two independent events both occurring?



COUNTING PROBLEMS

In a permutation, how do you find the total number of arrangements?



VISUALIZATION

How will I do on the math section of the ACT?



quadratic formula

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

subset combinations

$$\frac{x!}{y!(x-y)!}$$

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

logarithms and exponents

$\log_a b = c$ $where a^c = b$

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

Power Property

$$\log_a M^x = x \log_a M$$

FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

Product Property

 $\log_a MN = \log_a M + \log_a N$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

Quotient Property

 $\log_a(M/N) = \log_a M - \log_a N$

COMBINATIONS

What is the formula for the number of subset combinations?

QUADRATIC FORMULA

What is the quadratic formula?



POWERSCORE ACT MATHEMATICS FLASHCARDS PowerScore ACT Mathematics Flashcards (800)545-1750 WWW.POWERSCORE.COM WWW.POWERSCORE.COM

LOGARITHMS

(800)545-1750

What is the Power Property of Logarithms?



(800)545-1750

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

LOGARITHMS

What is the relationshop between logarithms and exponents?



LOGARITHMS

What is the Quotient Property of Logarithms?



LOGARITHMS

What is the Product Property of Logarithms?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

rhombus

- 1. Each side is equal length.
- 2. Two pairs of parallel sides.
- 3. Opposite angles are equal.
- 4. Diagonals bisect each other.
- 5. Diagonals are perpendicular.




area of a trapezoid

$$\frac{1}{2}$$
(base 1 + base 2) × (height)



For more flash cards, visit PowerScore.com © Copyright 2012

volume of a cylinder



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

surface area of cylinder

$$2(\pi r^2) + (2\pi rh)$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

volume of a pyramid

$$\frac{1}{3}$$
 (area of base) × (height)



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

volume of a cone

$$\frac{1}{3}\pi r^2 h$$

TRAPEZOID

What is the formula for the area of a trapezoid?



What do you know about a rhombus?

RHOMBUS



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

CYLINDERS

What is the formula for the surface are of a cylinder?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

SPHERE

What is the formula for the volume of a sphere?



CONE

What is the formula for the volume of a cone?



(800)545-1750

PYRAMID

What is the formula for the volume of a cone?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

sine of angle θ

 $\frac{\text{length of side Opposite } \theta}{\text{length of Hypotenuse}}$

SOH-CAH-TOA



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

cosine of angle θ

 $\frac{\text{length of side Adjacent to } \theta}{\text{length of Hypotenuse}}$

SOH-CAH-TOA



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

tangent of angle θ

length of side Opposite θ length of side Adjacen to θ

SOH-CAH-TOA



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

cosecant (csc)

$$\frac{1}{\sin} = \sin^{-1}$$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

cotangent (cot)

$$\frac{1}{\tan} = \tan^{-1}$$



secant (sec)

$$\frac{1}{\cos} = \cos^{-1}$$

TRIGONOMETRY

What is the formula for cosine?

<u>TRIGONOMETRY</u>

What is the formula for sine?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

TRIGONOMETRY

What is the formula for the cosecant?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

TRIGONOMETRY

What is the formula for tangent?



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 WWW.POWERSCORE.COM

TRIGONOMETRY

What is the formula for the secant?



TRIGONOMETRY

What is the formula for the cotangent?



Pythagorean Identity

$$\sin \theta = \sqrt{1 - \cos^2 \theta}$$
 and $\cos \theta = \sqrt{1 - \sin^2 \theta}$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

Pythagorean Identity

$\tan \theta$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

Pythagorean Identity

$sec^2 \theta$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

Pythagorean Identity

 $\csc^2 \theta$



Trigonometric Identities

$$\sin(-\theta) = -\sin\theta$$
 $\cos(-\theta) = \cos\theta$

$$tan(-\theta) = -tan \theta$$
 $csc(-\theta) = -csc \theta$

$$\sec(-\theta) = \sec \theta$$
 $\cot(-\theta) = -\cot \theta$



FOR MORE FLASH CARDS, VISIT POWERSCORE.COM © COPYRIGHT 2012

sine and cosine graphs

$$y = a \sin b\theta$$
 and $y = a \cos b\theta$ and



TRIGONOMETRY

$\frac{\sin \theta}{\cos \theta}$

TRIGONOMETRY

$$\sin^2 \theta + \cos^2 \theta = 1$$
, so...



POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

PowerScore ACT Mathematics Flashcards (800)545-1750 www.powerscore.com

TRIGONOMETRY



TRIGONOMETRY





POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

TRIGONOMETRY

What are the formulas for sine and cosine graphs?

TRIGONOMETRY

What are the trigonometric identities?



(800)5

POWERSCORE ACT MATHEMATICS FLASHCARDS (800)545-1750 www.powerscore.com

